



Fitting instruction
Montageanleitung
Monteringsvejledning
Monteringsvægledning
Montagehanleiding
Manuel de montage



VR414: Sanitiser Spirit Desinfektionsmittel Håndsprit	Handsprit Handdesinfectiemiddel L'alcool désinfectant
VR415: Foam soap Schaumseife Skumsæbe	Skumtvål Foam zeep Savon mousse
VR416: Fluid soap Flüssigseife Cremesæbe	Cremetvål Vloeibare zeep Savon crème
Sanitiser gel Desinfektionsgel Desinfektionsgel	Desinfektionsmedel gel Desinfectiegel Gel désinfectant
Viscosity: Viskosität: Viskositet: Viscositeit: Viscosité: 1 - 3000 cP/mPa s - 20°C	

Sunlight or light from halogen lamps
can disturb the sensor.
Sonnenlicht oder Licht von Halogenlampen
können den Sensor stören.
Skarpt sollys eller halogenlys,
kan forstyrre sensoren.
Starkt sollys eller halogenbelysning
kan störa sensorn.
Directe lichtinval van de zon of van halogeen
lampen kan de sensor storen.
La lumière du soleil ou des lampes à halogène
peut perturber le fonctionnement du détecteur.




Service mode:
Servicemodus:
Servicetilstand:
Serviceläge:
Onderhoudsinstelling:
Mode de service:

OFF

RESET






RS11/1



Recommended height
Empfohlene Höhe
Anbefalet højde
Rekommenderad höjd
Aanbevolen hoogte
Hauteur recommandée

940mm
37"

RS11/2
VR432


RS11/1/2/3

Theft protection
Diebstahlsicherung
Tyverisikring


Stölskydd
Anti diefstal
Antivol








RS11/3




RS11/1 RS11/3



RS11/2



VR410: VR409, VR410
 VR426: VR426, 2xVR430
 VR431: VR24, VR27, VR423, VR4234, VR425, VR431F, VR431S



vola

Lunavej 2
 DK-8700 Horsens
 Tlf : + 45 7023 5500
 sales@vola.com
 www.vola.com

VOLA RS11/1/2/3

Date
 Aug. 21

Rev.
 1

Sheet
SB 118